

# **Pimpinella anisum**

# **Studies**



A service of the National Library of Medicine  
and the National Institutes of Health

## PIMPINELLA ANISUM DATABASE

**1:** [Tabanca N](#), [Bedir E](#), [Ferreira D](#), [Slade D](#), [Wedge DE](#), [Jacob MR](#), [Khan SI](#), [Kirimer N](#), [Husnu Can Baser K](#), [Khan IA](#).

[Related Articles](#), [Links](#)

Bioactive constituents from Turkish pimpinella species.

Chem Biodivers. 2006 Jul;3(7):825. No abstract available.

PMID: 17193315 [PubMed - in process]

**2:** [Tabanca N](#), [Bedir E](#), [Ferreira D](#), [Slade D](#), [Wedge DE](#), [Jacob MR](#), [Khan SI](#), [Kirimer N](#), [Baser KH](#), [Khan IA](#).

[Related Articles](#), [Links](#)

Bioactive constituents from Turkish Pimpinella species.

Chem Biodivers. 2005 Feb;2(2):221-32.

PMID: 17191975 [PubMed - in process]

**3:** [Tirapelli CR](#), [de Andrade CR](#), [Cassano AO](#), [De Souza FA](#), [Ambrosio SR](#), [da Costa FB](#), [de Oliveira AM](#).

[Related Articles](#), [Links](#)

Antispasmodic and relaxant effects of the hidroalcoholic extract of Pimpinella anisum (Apiaceae) on rat anococcygeus smooth muscle.

J Ethnopharmacol. 2006 Sep 6; [Epub ahead of print]

PMID: 17027208 [PubMed - as supplied by publisher]

**4:** [Strehle KR](#), [Rosch P](#), [Berg D](#), [Schulz H](#), [Popp J](#). [Related Articles](#), [Links](#)

Quality control of commercially available essential oils by means of Raman spectroscopy.

J Agric Food Chem. 2006 Sep 20;54(19):7020-6.

PMID: 16968058 [PubMed - indexed for MEDLINE]

**5:** [Chaudhry NM](#), [Tariq P](#). [Related Articles](#), [Links](#)

Bactericidal activity of black pepper, bay leaf, aniseed and coriander against oral isolates.

Pak J Pharm Sci. 2006 Jul;19(3):214-8.

PMID: 16935829 [PubMed - indexed for MEDLINE]

**6:** [Erler F](#), [Ulug I](#), [Yalcinkaya B](#). [Related Articles](#), [Links](#)

Repellent activity of five essential oils against Culex pipiens.

Fitoterapia. 2006 Dec;77(7-8):491-4. Epub 2006 Jul 7.

PMID: 16890387 [PubMed - in process]

**7:** [Delazar A](#), [Biglari F](#), [Esnaashari S](#), [Nazemiyeh H](#), [Talebpour AH](#), [Nahar L](#), [Sarker SD](#). [Related Articles](#), [Links](#)  
GC-MS analysis of the essential oils, and the isolation of phenylpropanoid derivatives from the aerial parts of Pimpinella aurea.

Phytochemistry. 2006 Oct;67(19):2176-81. Epub 2006 Jul 20.

PMID: 16857219 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine  
and the National Institutes of Health

- 8:** [Park IK](#), [Choi KS](#), [Kim DH](#), [Choi IH](#), [Kim LS](#), [Bak WC](#), [Choi JW](#), [Shin SC](#). [Related Articles](#), [Links](#)  
Fumigant activity of plant essential oils and components from horseradish (*Armoracia rusticana*), anise (*Pimpinella anisum*) and garlic (*Allium sativum*) oils against *Lycoriella ingenua* (Diptera: Sciaridae).  
*Pest Manag Sci.* 2006 Aug;62(8):723-8.  
PMID: 16786497 [PubMed - indexed for MEDLINE]
- 9:** [Tabanca N](#), [Demirci B](#), [Ozek T](#), [Kirimer N](#), [Baser KH](#), [Bedir E](#), [Khan IA](#), [Wedge DE](#). [Related Articles](#), [Links](#)  
Gas chromatographic-mass spectrometric analysis of essential oils from *Pimpinella* species gathered from Central and Northern Turkey.  
*J Chromatogr A.* 2006 Jun 9;1117(2):194-205. Epub 2006 Apr 17.  
PMID: 16616174 [PubMed - indexed for MEDLINE]
- 10:** [Kosalec I](#), [Pepeljnjak S](#), [Kustrak D](#). [Related Articles](#), [Links](#)  
Antifungal activity of fluid extract and essential oil from anise fruits (*Pimpinella anisum* L., Apiaceae).  
*Acta Pharm.* 2005 Dec;55(4):377-85.  
PMID: 16375827 [PubMed - indexed for MEDLINE]
- 11:** [Hepper PG](#), [Wells DL](#). [Related Articles](#), [Links](#)  
Perinatal olfactory learning in the domestic dog.  
*Chem Senses.* 2006 Mar;31(3):207-12. Epub 2005 Dec 21.  
PMID: 16371572 [PubMed - indexed for MEDLINE]
- 12:** [Mahady GB](#), [Pendland SL](#), [Stoia A](#), [Hamill FA](#), [Fabricant D](#), [Dietz BM](#), [Chadwick LR](#). [Related Articles](#), [Links](#)  
In vitro susceptibility of *Helicobacter pylori* to botanical extracts used traditionally for the treatment of gastrointestinal disorders.  
*Phytother Res.* 2005 Nov;19(11):988-91.  
PMID: 16317658 [PubMed - indexed for MEDLINE]
- 13:** [Tabanca N](#), [Demirci B](#), [Kirimer N](#), [Baser KH](#), [Bedir E](#), [Khan IA](#), [Wedge DE](#). [Related Articles](#), [Links](#)  
Gas chromatographic-mass spectrometric analysis of essential oils from *Pimpinella aurea*, *Pimpinella corymbosa*, *Pimpinella peregrina* and *Pimpinella puberula* gathered from Eastern and Southern Turkey.  
*J Chromatogr A.* 2005 Dec 2;1097(1-2):192-8. Epub 2005 Nov 2.  
PMID: 16269150 [PubMed - indexed for MEDLINE]
- 14:** [Velasco-Negueruela A](#), [Perez-Alonso MJ](#), [de Paz PL](#), [Pala-Paul J](#), [Sanz J](#). [Related Articles](#), [Links](#)  
Analysis by gas chromatography-mass spectrometry of the essential oils from the aerial parts of *Pimpinella anagodendron* Bolle and *Pimpinella rupicola* Svent., two endemic species to the Canary Islands, Spain.  
*J Chromatogr A.* 2005 Nov 18;1095(1-2):180-4. Epub 2005 Oct 19.  
PMID: 16236298 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine  
and the National Institutes of Health

- 15:** [Prajapati V](#), [Tripathi AK](#), [Aggarwal KK](#), [Khanuja SP](#). [Related Articles](#), [Links](#)  
Insecticidal, repellent and oviposition-deterrent activity of selected essential oils against *Anopheles stephensi*, *Aedes aegypti* and *Culex quinquefasciatus*.  
*Bioresour Technol.* 2005 Nov;96(16):1749-57. Epub 2005 Feb 25.  
PMID: 16051081 [PubMed - indexed for MEDLINE]
- 16:** [Koch J](#), [Schrauder A](#), [Alpers K](#), [Werber D](#), [Frank C](#), [Prager R](#), [Rabsch W](#), [Broll S](#), [Feil F](#), [Roggentin P](#), [Bockemuhl J](#), [Tschape H](#), [Ammon A](#), [Stark K](#). [Related Articles](#), [Links](#)  
*Salmonella agona* outbreak from contaminated aniseed, Germany.  
*Emerg Infect Dis.* 2005 Jul;11(7):1124-7.  
PMID: 16022796 [PubMed - indexed for MEDLINE]
- 17:** [Niinemets U](#). [Related Articles](#), [Links](#)  
Key plant structural and allocation traits depend on relative age in the perennial herb *Pimpinella saxifraga*.  
*Ann Bot (Lond).* 2005 Aug;96(2):323-30. Epub 2005 Jun 19.  
PMID: 15965271 [PubMed - indexed for MEDLINE]
- 18:** [Lee HS](#). [Related Articles](#), [Links](#)  
Food protective effect of acaricidal components isolated from anise seeds against the stored food mite, *Tyrophagus putrescentiae* (Schrank).  
*J Food Prot.* 2005 Jun;68(6):1208-10.  
PMID: 15954709 [PubMed - indexed for MEDLINE]
- 19:** [Gebhardt Y](#), [Witte S](#), [Forkmann G](#), [Lukacin R](#), [Matern U](#), [Martens S](#). [Related Articles](#), [Links](#)  
Molecular evolution of flavonoid dioxygenases in the family Apiaceae.  
*Phytochemistry.* 2005 Jun;66(11):1273-84.  
PMID: 15913674 [PubMed - indexed for MEDLINE]
- 20:** [Pedersen-Bjergaard S](#), [Rasmussen KE](#). [Related Articles](#), [Links](#)  
Liquid-phase microextraction utilising plant oils as intermediate extraction medium--towards elimination of synthetic organic solvents in sample preparation.  
*J Sep Sci.* 2004 Dec;27(17-18):1511-6.  
PMID: 15638160 [PubMed - indexed for MEDLINE]
- 21:** [Kassi E](#), [Papoutsis Z](#), [Fokialakis N](#), [Messari I](#), [Mitakou S](#), [Moutsatsou P](#). [Related Articles](#), [Links](#)  
Greek plant extracts exhibit selective estrogen receptor modulator (SERM)-like properties.  
*J Agric Food Chem.* 2004 Nov 17;52(23):6956-61.  
PMID: 15537303 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine  
and the National Institutes of Health

- 22:** [Caumes JL](#), [Bronstein JA](#), [Richecoeur M](#), [Lipovac AS](#). [Related Articles](#), [Links](#)  
[Hypermineralocorticoidism induced by very low doses of "alcohol free pastis"]  
*Gastroenterol Clin Biol*. 2004 Oct;28(10 Pt 1):917-8. French. No abstract available.  
PMID: 15523232 [PubMed - indexed for MEDLINE]
- 23:** [Tabanca N](#), [Khan SI](#), [Bedir E](#), [Annavarapu S](#), [Willett K](#), [Khan IA](#), [Kirimer N](#), [Baser KH](#).  
[Related Articles](#), [Links](#)  
Estrogenic activity of isolated compounds and essential oils of *Pimpinella* species from Turkey, evaluated using a recombinant yeast screen.  
*Planta Med*. 2004 Aug;70(8):728-35.  
PMID: 15368661 [PubMed - indexed for MEDLINE]
- 24:** [Lee HS](#). [Related Articles](#), [Links](#)  
*p*-Anisaldehyde: acaricidal component of *Pimpinella anisum* seed oil against the house dust mites *Dermatophagoides farinae* and *Dermatophagoides pteronyssinus*.  
*Planta Med*. 2004 Mar;70(3):279-81.  
PMID: 15114512 [PubMed - indexed for MEDLINE]
- 25:** [Odunola OA](#). [Related Articles](#), [Links](#)  
Comparative effects of some local food condiments on sodium arsenite-induced clastogenicity.  
*Afr J Med Med Sci*. 2003 Mar;32(1):75-80.  
PMID: 15030071 [PubMed - indexed for MEDLINE]
- 26:** [Tabanca N](#), [Bedir E](#), [Kirimer N](#), [Baser KH](#), [Khan SI](#), [Jacob MR](#), [Khan IA](#). [Related Articles](#), [Links](#)  
Antimicrobial compounds from *Pimpinella* species growing in Turkey.  
*Planta Med*. 2003 Oct;69(10):933-8.  
PMID: 14648397 [PubMed - indexed for MEDLINE]
- 27:** [Kreydiyyeh SI](#), [Usta J](#), [Knio K](#), [Markossian S](#), [Dagher S](#). [Related Articles](#), [Links](#)  
Aniseed oil increases glucose absorption and reduces urine output in the rat.  
*Life Sci*. 2003 Dec 19;74(5):663-73.  
PMID: 14623036 [PubMed - indexed for MEDLINE]
- 28:** [Velasco-Negueruela A](#), [Perez-Alonso MJ](#), [Perez de Paz PL](#), [Paul-Pala J](#), [Sanz J](#). [Related Articles](#), [Links](#)  
Analysis by gas chromatography-mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain.  
*J Chromatogr A*. 2003 Sep 5;1011(1-2):241-4.  
PMID: 14518782 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine  
and the National Institutes of Health

**29:** [Fujimatu E, Ishikawa T, Kitajima J. Related Articles, Links](#)

Aromatic compound glucosides, alkyl glucoside and glucide from the fruit of anise.

Phytochemistry. 2003 Jul;63(5):609-16.

PMID: 12809723 [PubMed - indexed for MEDLINE]

**30:** [Rodrigues VM, Rosa PT, Marques MO, Petenate AJ, Meireles MA. Related Articles, Links](#)

Supercritical extraction of essential oil from aniseed (*Pimpinella anisum* L) using CO<sub>2</sub>: solubility, kinetics, and composition data.

J Agric Food Chem. 2003 Mar 12;51(6):1518-23.

PMID: 12617576 [PubMed - indexed for MEDLINE]

**31:** [Shi H, Mi C, Qiao B, Li F, Wang C, Liu Z, Takeshima J. Related Articles, Links](#)

[Studies on the chemical constituents of the root of *Pimpinella thellungiana*]

Zhong Yao Cai. 1998 May;21(5):236-7. Chinese.

PMID: 12567955 [PubMed - indexed for MEDLINE]

**32:** [Walczak M, Pruszewicz A, Lacka K, Karlik M. Related Articles, Links](#)

[Olfaction in congenital hypothyroidism]

Otolaryngol Pol. 2002;56(5):577-81. Polish.

PMID: 12523167 [PubMed - indexed for MEDLINE]

**33:** [Kitajima J, Ishikawa T, Fujimatu E, Kondho K, Takayanagi T. Related Articles, Links](#)

Glycosides of 2-C-methyl-D-erythritol from the fruits of anise, coriander and cumin.

Phytochemistry. 2003 Jan;62(1):115-20.

PMID: 12475627 [PubMed - indexed for MEDLINE]

**34:** [Ishikawa T, Fujimatu E, Kitajima J. Related Articles, Links](#)

Water-soluble constituents of anise: new glucosides of anethole glycol and its related compounds.

Chem Pharm Bull (Tokyo). 2002 Nov;50(11):1460-6.

PMID: 12419910 [PubMed - indexed for MEDLINE]

**35:** [Singh G, Kapoor IP, Pandey SK, Singh UK, Singh RK. Related Articles, Links](#)

Studies on essential oils: part 10; antibacterial activity of volatile oils of some spices.

Phytother Res. 2002 Nov;16(7):680-2.

PMID: 12410554 [PubMed - indexed for MEDLINE]

**36:** [Mumcuoglu KY, Miller J, Zamir C, Zentner G, Helbin V, Ingber A. Related Articles, Links](#)

The in vivo pediculicidal efficacy of a natural remedy.

Isr Med Assoc J. 2002 Oct;4(10):790-3.

PMID: 12389342 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine  
and the National Institutes of Health

- 37:** [Qiao B](#), [Wang C](#), [Li F](#), [Mi C](#), [Shi H](#), [Shi H](#). [Related Articles](#), [Links](#)  
[Separation and identification of thellungianin G from the root of *Pimpinella thellungiana* Wolff.]  
*Zhongguo Zhong Yao Za Zhi*. 1999 Sep;24(9):551-2, 575. Chinese.  
PMID: 12205900 [PubMed - indexed for MEDLINE]
- 38:** [Soliman KM](#), [Badeaa RI](#). [Related Articles](#), [Links](#)  
Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi.  
*Food Chem Toxicol*. 2002 Nov;40(11):1669-75.  
PMID: 12176092 [PubMed - indexed for MEDLINE]
- 39:** [Garcia-Gonzalez JJ](#), [Bartolome-Zavala B](#), [Fernandez-Melendez S](#), [Barcelo-Munoz JM](#), [Miranda Paez A](#), [Carmona-Bueno MJ](#), [Vega-Chicote JM](#), [Negro Carrasco MA](#), [Ameal Godoy A](#), [Pamies Espinosa R](#).  
[Related Articles](#), [Links](#)  
Occupational rhinoconjunctivitis and food allergy because of aniseed sensitization.  
*Ann Allergy Asthma Immunol*. 2002 May;88(5):518-22.  
PMID: 12027075 [PubMed - indexed for MEDLINE]
- 40:** [Sahraei H](#), [Ghoshooni H](#), [Hossein Salimi S](#), [Mohseni Astani A](#), [Shafaghi B](#), [Falahi M](#), [Kamalnegad M](#).  
[Related Articles](#), [Links](#)  
The effects of fruit essential oil of the *Pimpinella anisum* on acquisition and expression of morphine induced conditioned place preference in mice.  
*J Ethnopharmacol*. 2002 Apr;80(1):43-7.  
PMID: 11891086 [PubMed - indexed for MEDLINE]
- 41:** [Jellimann S](#), [Nune S](#), [Perrin B](#), [Boussat S](#), [Weryha G](#), [Klein M](#). [Related Articles](#), [Links](#)  
[Cardiorespiratory arrest after consumption of an alcohol-free anise-flavored beverage]  
*Presse Med*. 2001 Dec 15;30(38):1879-80. French. No abstract available.  
PMID: 11791397 [PubMed - indexed for MEDLINE]
- 42:** [Caruso S](#), [Grillo C](#), [Agnello C](#), [Maiofino L](#), [Intelisano G](#), [Serra A](#). [Related Articles](#), [Links](#)  
A prospective study evidencing rhinomanometric and olfactometric outcomes in women taking oral contraceptives.  
*Hum Reprod*. 2001 Nov;16(11):2288-94.  
PMID: 11679506 [PubMed - indexed for MEDLINE]
- 43:** [Boskabady MH](#), [Ramazani-Assari M](#). [Related Articles](#), [Links](#)  
Relaxant effect of *Pimpinella anisum* on isolated guinea pig tracheal chains and its possible mechanism(s).  
*J Ethnopharmacol*. 2001 Jan;74(1):83-8.  
PMID: 11137352 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine  
and the National Institutes of Health

**44:** [Downie SR](#), [Katz-Downie DS](#), [Spalik K](#). [Related Articles](#), [Links](#)

A phylogeny of Apiaceae tribe Scandiceae: evidence from nuclear ribosomal DNA internal transcribed spacer sequences.

Am J Bot. 2000 Jan;87(1):76-95.

PMID: 10636832 [PubMed - as supplied by publisher]

**45:** [Andarwulan N](#), [Shetty K](#). [Related Articles](#), [Links](#)

Phenolic content in differentiated tissue cultures of untransformed and Agrobacteriumtransformed

roots of anise (*Pimpinella anisum* L.).

J Agric Food Chem. 1999 Apr;47(4):1776-80.

PMID: 10564054 [PubMed - indexed for MEDLINE]

**46:** [Pourgholami MH](#), [Majzoob S](#), [Javadi M](#), [Kamalinejad M](#), [Fanaee GH](#), [Sayyah M](#). [Related Articles](#), [Links](#)

The fruit essential oil of *Pimpinella anisum* exerts anticonvulsant effects in mice.

J Ethnopharmacol. 1999 Aug;66(2):211-5.

PMID: 10433480 [PubMed - indexed for MEDLINE]

**47:** [Reichling J](#), [Kemmerer B](#), [Sauer-Gurth H](#). [Related Articles](#), [Links](#)

Biosynthesis of pseudoisoeugenols in tissue cultures of *Pimpinella anisum*. Phenylalanine ammonia lyase and cinnamic acid 4-hydroxylase activities.

Pharm World Sci. 1995 Jul 28;17(4):113-9.

PMID: 7581216 [PubMed - indexed for MEDLINE]

**48:** [Riechling J](#), [Merkel B](#). [Related Articles](#), [Links](#)

Elicitor-Induced Formation of Coumarin Derivatives in Suspension Cultures of *Pimpinella anisum*.

Planta Med. 1993 Apr;59(2):187-8. No abstract available.

PMID: 17230357 [PubMed - in process]

**49:** [Giron LM](#), [Freire V](#), [Alonzo A](#), [Caceres A](#). [Related Articles](#), [Links](#)

Ethnobotanical survey of the medicinal flora used by the Caribs of Guatemala.

J Ethnopharmacol. 1991 Sep;34(2-3):173-87.

PMID: 1795521 [PubMed - indexed for MEDLINE]

**50:** [Linares E](#), [Bye RA Jr](#). [Related Articles](#), [Links](#)

A study of four medicinal plant complexes of Mexico and adjacent United States.

J Ethnopharmacol. 1987 Mar-Apr;19(2):153-83.

PMID: 3613608 [PubMed - indexed for MEDLINE]

**51:** [Burkhardt G](#), [Reichling J](#), [Martin R](#), [Becker H](#). [Related Articles](#), [Links](#)

Terpene hydrocarbons in *Pimpinella anisum* L.

Pharm Weekbl Sci. 1986 Jun 20;8(3):190-3.

PMID: 3737372 [PubMed - indexed for MEDLINE]





A service of the National Library of Medicine  
and the National Institutes of Health

- 52:** [Koshioka M](#), [Takeno K](#), [Beall FD](#), [Pharis RP](#). [Related Articles](#), [Links](#)  
Purification and Separation of Plant Gibberellins from Their Precursors and Glucosyl Conjugates.  
Plant Physiol. 1983 Oct;73(2):398-406.  
PMID: 16663228 [PubMed - as supplied by publisher]
- 53:** [Albert-Puleo M](#). [Related Articles](#), [Links](#)  
Fennel and anise as estrogenic agents.  
J Ethnopharmacol. 1980 Dec;2(4):337-44.  
PMID: 6999244 [PubMed - indexed for MEDLINE]
- 54:** [Kunzemann J](#), [Herrmann K](#). [Related Articles](#), [Links](#)  
[Isolation and identification of flavon(ol)-O-glycosides in caraway (*Carum carvi* L.), fennel (*Foeniculum vulgare* Mill.), anise (*Pimpinella anisum* L.), and coriander (*Coriandrum sativum* L.), and of flavon-C-glycosides in anise. I. Phenolics of spices (author's transl)]  
Z Lebensm Unters Forsch. 1977 Jul 29;164(3):194-200. German.  
PMID: 910554 [PubMed - indexed for MEDLINE]
- 55:** [Szujko-Lacza J](#). [Related Articles](#), [Links](#)  
Fertilization and fusion of free endosperm nuclei in *Pimpinella anisum* L.  
Acta Biol Acad Sci Hung. 1976;27(1):65-70. No abstract available.  
PMID: 998111 [PubMed - indexed for MEDLINE]
- 56:** [Kartnig V](#), [Moeckel H](#), [Maunz B](#). [Related Articles](#), [Links](#)  
[The occurrence of coumarins and sterols in tissue-cultures of roots of *Anethum graveolens* and *Pimpinella anisum* (author's transl)]  
Planta Med. 1975 Feb;27(1):1-13. German. No abstract available.  
PMID: 1161870 [PubMed - indexed for MEDLINE]
- 57:** [Szujko-Lacza J](#). [Related Articles](#), [Links](#)  
Nectary gland development and functional duration in *Pimpinella anisum* L.  
Acta Biol Acad Sci Hung. 1975;26(1-2):51-65. No abstract available.  
PMID: 1220489 [PubMed - indexed for MEDLINE]
- 58:** [FLOSS HG](#), [MOTHES U](#). [Related Articles](#), [Links](#)  
[ON THE BIOCHEMISTRY OF FUROCUMATIN IN *PIMPINELLA MAGNA*.]  
Z Naturforsch B. 1964 Aug;19:770-1. German. No abstract available.  
PMID: 14309414 [PubMed - OLDMEDLINE]
- 59:** [RAPOPORT MU](#). [Related Articles](#), [Links](#)  
[Mechanism of the effect of intravenous conductivity of anisotropic solutions and, in rate, of hypertonic solution of glucose.]  
Ter Arkh. 1950 Mar-Apr;22(2):77-83. Undetermined Language. No abstract available.  
PMID: 15424872 [PubMed - indexed for MEDLINE]